TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY
(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION MONTH OF MAY

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	1,875		385	23	8,100		
EXPENDED	318		50	1	8100		
REMAINING	1,557		335	22	NONE		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON LOW VISIBILITY	RADIO BEACON REGULAR CALIBRATION	RADIO BEACON SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	871.50 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	19500 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,066.50 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585			X		
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL ROCKS L/S	547	GOOD	

(Use Other Side if Necessary)

Vincent R. Roy.
CERTIFIED TO BE CORRECT
VINCENT R. ROY, BM1
311-365 U.S.C.G.
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MONDAY 1 MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.93	–	51	B/C	NS	7	8	–	–
0400	NW	3	29.99	–	51	B/C	AC	3	8	–	–
0800	NW	2	30.05	–	57	B	–	–	8	–	–
1200	SE	3	30.02	–	51	B/C	AS	1	8	–	–
1600	SE	3	30.02	–	48	B/C	AS	8	8	–	–
2000	SE	3	30.02	–	48	B/C	AS	8	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1855	23	8000
EXPENDED	10	–	200
REMAINING	1845	23	7,800

COMPLEMENT

	• MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All Vis. A/N
0630-Secured Main Light
0800-Morning Colors,Turn To Station Work
0830-RoyBM-1Departed This Station To Shop In Newport
1130-Secured For Chow
1200-Turn To Station Work
1230-Roy BM-1 Returned To Station
1600-Checked All Vis. A/N
1715-Turned On Main Light
1730-Evening Colors
1800-Secured From Station Work
1815-Chow
2000-Checked All Vis. A/N

L. H. White EN-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUES. 2 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	29.87		48	O	NS	9	8	—	—
0400	NE	2	29.74		46	O	NS	10	5	—	—
0800	NE	2	2968		46	O	NS	10	5	—	—
1200	NE	3	2955		46	O	NS	10	6	—	—
1600	NE	2	2960		44	BC	NS	8	8	—	—
2000	NW	2	2970		43	BC	NS	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,845	23	7,800
EXPENDED	10	—	200
REMAINING	1,835	23	7,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked Vis. A/N

0400-Checked Vis. A/N

0630-Secured Main Light

0800-Morning Colors,Awaiting Easting Area Inspectors

0830-Inspectors Arrived This Unit

1200-Eastern Area Inspectors Departed This Unit, Roy BM-1 DEparted On Liberty

1600-Checked Vis. A/N,

1930-Evening Colors, Turned On Main Light

2000-Checked Vis. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ~~ROSE ISLAND LIGHT STATION~~

DATE WED. 3, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2974		47	C			8		
0400	SW	2	2972		51	C			8		
0800	SW	4	2970		55	C			8		
1200	W	5	2972		55	B/C	AS	7	8		
1600	W	4	2977		52	B/C	AS	1	8		
2000	W	4	2985		48	B/C	AS	1	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1835	23	7,600
EXPENDED	10	–	200
REMAINING	1825	23	7,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked Vis. A/N
0400-Checked Vis. A/N
0530-Secured Main Light
0800-Morning Colors, Turn To Station Work
1130-Secured For Chow
1230-Turn To
1600-Checked Vis. A/N
1630-Secured From Station Work
1930-Evening Colors, Turn On Main Light
2000-Checked Vis. A/n

P. Sutton SA

CERTIFIED TO BE CORRECT

Vincent P. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THUR. 4 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	2992		46	B			8		
0400	NW	2	2994		49	B			8		
0800	NW	1	3008		58	B			8		
1200	SW	2	3006		62	B			8		
1600	SW	3	3004		57	B-C	AS	3	8		
2000	SW	3	3014		50	B-C	AS	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1825	23	7,400
EXPENDED	10	—	200
REMAINING	1815	23	7,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked Vis. A/N

0400-Checked Vis. A/N

0630-Secured Main Light

0800-Morning Colors, Turn To Station Work

1000-Sutton SN DEparted For Newport For Chow Run

1130-Sutton SN. REturned From Newport

1200- Secured For Chow

1300-Turn To Station Work

1600- Secured From Station Work, Checked Vis. A/N

1930-Evening Colors, Turned On Main Light

2000-Checked Vis. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRI. 5, MAY 1961 LOCATION NEWPORT , RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	3016		49	BC	NS	4	8		
0400	NW	4	3019		50	BC	NS	1	8		
0800	NW	4	3023		62	BC	NS	1	8		
1200	NW	3	3020		62	BC	CU	2	8		
1600	NW	3	3020		60	BC	CU	4	7		
2000	NW	3	3025		53	BC	CU	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,815	23	7,200
EXPENDED	10	—	200
REMAINING	1,805	23	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked Vis. A/N

0400-Checked Vis. A/n

0630-Secured Main Light

0800-Morning Colors,Turn To Station Work

0830-Roy V. R. BM-1 Return From Liberty

0840-White l. g. Departed On Liberty

1130-Secured For Chow

1230-Turn To Station Work

1530-Sutton SN. Departed For Newport For Mail Run

1630-Sutton Return This Unit, Secured Station Work Checked Vis,A/N

1930-Evening Colors, Turned On Main Light

2000-Checked vis. A/n

Richard Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SAT. 6, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	3031		49	B/C	CU	6	8		
0400	SW	1	3034		50	B/C	CU	2	8		
0800	SW	1	3034		60	B	-		8		
1200	SW	4	3015		61	B/C	CS	2	8		
1600	SW	4	3040		54	B/C	CS	3	8		
2000	SW	4	3036		50	O	NS	7	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,805	23	7,000
EXPENDED	10	-	200
REMAINING	1,795	23	6,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked Vis. A/N

0400-Checked Vis. A/N

0630-Secured Main Light

0800-Morning Colors, Turn To Station Work

1130-Secured For Chow

1200-Turned To Station Work

1300-Conducted Inspection Of Station, Turned Over Generator O.K.

1500-Secured From Station Work

1930-Evening Colors, Turned On Main Light

2000- Checked Vis. A/N

Richard Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Ray BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUN.7 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	4	3031		49	O	NS	8	7		
0400	SE	5	3026		47	O	NS	10	6		
0800	SE	6	3019		46	O/R/F	NS	10	5		
1200	SW	6	3013		46	O/R/F	NS	10	5		
1600	calm		3003		47	O/F	NS	10	4		
2000	calm		3004		48	F			3		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,795	23	6,800
EXPENDED	10	-	200
REMAINING	1,785	23	6,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished CONT, Borning. Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0700	2400	17	00	15
TOTAL FOR DAY				
TOTAL FOR MONTH		17	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All Vis. A/N
0700- Started Fog Horn And Gull Rock Bell
0800-Morning Colors
1200-Chow
1600-Checked All Vis. A/N
1930-Evening Colors
2000-Checked All Vis. A/N

R. Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MON. 8,MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		3003		48	F		4	4		
0400	calm		3002		48	F			3		
0800	calm		3000		49	F			2		
1200	calm		2996		52	F			2		
1600	calm		2994		48	F			2		
2000	calm		2993		48	F			2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1785	23	6600
EXPENDED	10	-	200
REMAINING	1775	23	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished Cont. Burning Time Lighted 1600

FOG SIGNAL (Low visibility only) | RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0000	1300	13	0	15									
1600	2300	7	0										
TOTAL FOR DAY		20	00		TOTAL FOR DAY								
TOTAL FOR MONTH		37	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N

0400-Checked All Vis. A/N

0800-Morning Colors, Turned To Station Work

0930-White L.G. Returned From Liberty, Sutton SN. Departed On Liberty

1130-Secured For Chow

1230-Turned tO Station Work

1300-Secured Main Light Fog Horn And Gull Rock Bell

1330-Civilian Plumer Arrived To Fix Water Tank

1530-CG-64309Arrived Station With 300 Gals. Gas And 4 Tanks Propane

1600-Turned On Main Light Fog Horn And Gull Rocks Bell
Checked All Vis A/N CG64309 Departed This Unit Also Civilian Plumper

1630- Secured For Chow

1700-Turned To Station Work

1930-Evening Colors~~-Turned On Main Light~~

1945-Secured Station Work

2000-Checked All Vis. A/N

2300- Secured Fog Horn And Gull Rock Bell

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Ray BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUES. 9, MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Ca	lm	2990		46	F			2		
0400	ca	lm	2988		46	F			2		
0800	ca	lm	2986		48	F			2		
1200	ca	lm	2984		50	F			2		
1600	ca	lm	2982		52	F			2		
2000	SE	Ke	2983		54	F			2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1775	23	6400
EXPENDED	10	—	200
REMAINING	1765	23	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 2400 Time Lighted 0000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	2400	24	00	15
TOTAL FOR DAY		24		
TOTAL FOR MONTH		61		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All VIs A/N
0800-Morning Colors Turned To Station Work
1130-Secured For Chow
1230-Turned To Station Work
1700-Secured From Station Work
1930-Evening Colors
2000-Checked All Vis. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WED. 10 MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	2986		52	F		2	2		
0400	calm		2990		50	F			2		
0800	calm		2994		52	F			2		
1200	SW	3	2998		60	F			2		
1600	SW	3	2992		58	Z			7		
2000	SW	3	3006		56	Z			7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1765	23	6200
EXPENDED	20	-	200
REMAINING	1745	23	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1330 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1330	13	1/2	
1430	1600	1	1/2	
TOTAL FOR DAY		15		
TOTAL FOR MONTH		76		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N

0400- Checked All Vis. A/N

0800-Morning Colors, Turned To Station Work

1000-Secured Elect. Compressor, Started Emer. Compressor For Test Operation

1200-Secured For Chow

1230-Secured Emer. Compressor, Started Elect. Compressor
Turned To Station Work

1330-Secured Main Light Fog Horn And Gull Rock Bell

1430-Turned On Main Light Fog Horn And Gull Rock Bell

1600-Secured Main Light Fog Horn And Gull Rock Bell
Secured Station Work, Checked All Vis. A/N

1930-Evening Colors, Turned On Main Light

2000-Checked All Vis. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent P. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ~~ROSE ISLAND LIGHT STATION~~

DATE THUR. 11, MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3004		54	Z			7		
0400	N	2	3000		54	Z			7		
0800	N	2	2986		54	Z			7		
1200	SE	2	3035		61	B/C	C/C	8	8		
1600	SE	2	3034		57	B/C	C/C	8	8		
2000	Calm		3036	-	54	B/C	A/S	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1745	23	6000
EXPENDED	15	-	200
REMAINING	1730	23	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N

0400-Checked All Vis. A/N

0530-Secured Main Light

0800-Morning Colors, Turn To Station Work

1030-Sutton SN. Returned From Liberty

1200-Secured For Chow

1230-Turned To Station Work

1600-Secured Station Work, Checked All Vis A/N

1930- Evening Colors, Turned On Main Light

2000-Checked All Vis. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE F RI. 12, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		3035		52	B/C	SC	9	8		
0400	calm		3035		52	B/C	NS	10	7		
0800	calm		3036		54	Z			4		
1200	ESE	2	3034		55	F-R			4		
1600	ESE	1	3028		56	F-R			5		
2000	SE	2	3023		55	F			2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1730	23	5800
EXPENDED	15	1	250
REMAINING	1715	22	5550

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0600	0900	2		20
1200	1330	1	30	20
1730	2100	3	30	18
2130	2330	3		18
TOTAL FOR DAY		11	00	
TOTAL FOR MONTH		87	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All VIs. A/N

0400- Checked All Vis. A/N

0600-TURNED ON FOG HORN AND GULL ROCK BELL

0800-MORNING COLORS, TURNED TO STATION WORK

0900-SECURED FOG HORN MAIN LIGHT AND GULL ROCK BELL

1200-SECURED FOR CHOW, STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL

1230-TURNED TO STATION WORK

1330-SECURED FOG HORN MAIN LIGHT AND GULL ROCK BELL

1600-SECURED STATION WORK CHECKED ALL VIS. A/N

1730-STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL

1930-EVENING COLORS

2000-CHECKED ALL VIS. A/N

2100-SECURED FOG HORN AND GULL ROCK BELL

2130-STARTEDFOG HORN AND GULL ROCK BELL

2300-SECURED FOG HORN AND GULL ROCK BELL

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BMC
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SAT. 13, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	1	3018		56	D-F			5		
0400	calm		3014		58	F-Z			5		
0800	calm		3010		60	Z			5		
1200	calm		3010		66	Z			7		
1600	SW	2	3004		54	B-C	NS	6	7		
2000	S	2	3002		54	F			1		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1715	22	5550
EXPENDED	10	-	250
REMAINING	1705	22	5300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1200 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1200	12		18
1230	1530	3		18
1800	2400	6		18
TOTAL FOR DAY		21		
TOTAL FOR MONTH		108		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-TURNED ON FOGNHORN AND GULL ISLAND BELL CHECKED ALL VIS. A/N

0400-CHECKED ALL VIS. A/N

0800-MORNING COLORS, TURNED TO STATION WORK

1200-SECURED FOG HORN MAIN LIGHT AND GULL ROCK BELL, SECURED FOR CHOW

1230-TURNED TO STATION WORK, STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL

1530-SECURED MAIN LIGHT FOG HORN AND GULL ROCK BELL

1600-SECURED STATION WORK

1800-STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL

2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUN. 14, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	S	2	3000		53	F	1		2		
0400	S	2	3000		57	F			2		
0800	S	2	3000		65	F			2		
1200	S	2	2999		70	B-C	SC	5	6		
1600	S	3	2996		62	F			2		
2000	SW	2	2996		58	F			2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1705	22	5300
EXPENDED	15	-	250
REMAINING	1690	22	5050

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0930 Time Lighted 1300

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0000	0930	9	30	18
1300	2400	11		18
TOTAL FOR DAY		20	30	
TOTAL FOR MONTH		128	1/2	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N

0400-CHECKED ALL VIS A/N

0800-MORNINGBCOLORS

0930-SECURED MAIN LIGHT FOG HORN AND GULL ROCK BELL

1200-SECURED FOR CHOW

1300-TURNED ON MAIN LIGHT FOG HORN AND GULL ROCK BELL

1600-CHECKED ALL VIS. A/N

1930-EVENING COLORS

2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent B. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MON. 15, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT , RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2996		54	F			1		
0400	SW	2	2997		53	F			0		
0800	SW	3	2996		52	F			0		
1200	SW	4	2996		52	F			0		
1600	SW	4	2996		52	F			0		
2000	SW	4	2996		54	F			0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1690	22	5050
EXPENDED	10	-	250
REMAINING	1680	22	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 14

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0900	9		15
1400	2400	10		15
TOTAL FOR DAY		19		
TOTAL FOR MONTH		147.30		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N

0400-CHECKED ALL VIS. A/N

0800-MORNING COLORS

0900-ROY VINCENT R. BM-1 RETURNED FROM LIBERTY
0815- secured fog horn main light and gull rock bell
0930-WHITE LOUIS G..EN-2 DEPARTED ON LIBERTY

1130-SECURED FOR CHOW

1200-TURNED TO STATION WORK

1410-TURNED ON MAIN LIGHT FOG HORN AND GULL ROCK BELL,BELL INOPERATIVE

1430-GULL ROCK BELL WORKING AGAIN (REPLACED FUSE)

1445-RETURNED TO STATION

1630-SECURED FROM STATION WORK CHECKED ALL VIS A/N

1930-EVENING COLORS

2000-CHECKED ALL VIS A/N

R. Sutton BM

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUES. 16 MAY 1961 LOCATION NEWPORT RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2996		54	O/F	NS	10	0		
0400	SW	3	2996		54	O/F	NS	10	0		
0800	SW	3	2995		62	O/F	NS	10	0		
1200	SW	4	2992		62	O/F	NS	10	0		
1600	SW	4	2992		62	O/F	NS	10	0		
2000	SW	4	2995		60	O/Z	NS	10	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1670	22	4800
EXPENDED	10	-	250
REMAINING	1660	22	4550

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~1950~~ Cont. Burning Time Lighted ~~21~~

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1930	19	30	18
2130	2400	2	30	18
TOTAL FOR DAY		22	00	
TOTAL FOR MONTH		169		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0800-MORNING COLORS TURN TO STATION WORK
1130-SECURED FORBCHOW
1230-turn to station work
1630-SECURED FROM STATION WORK
1930-SECURED FOG HORN AND GULL ROCK BELL
2000-CHECKED ALL VIS A/N
2130-TURNED ON FOG HORN AND GULL ROCK BELL

R. Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Ray BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEN. 17 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	3000		58	O/F	NS	10	0		
0400	NW	5	3010		56	C			8		
0800	NW	3	3014		56	C			8		
1200	NW	2	3020		56	C			8		
1600	NW	2	3024		54	C			8		
2000	S	2	3026		52	C			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1660	22	4550
EXPENDED	15	-	250
REMAINING	1645	22	4300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0000	0430	4	30	15
TOTAL FOR DAY		4	30	
TOTAL FOR MONTH		174	1/2	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0430-SECURED FOG HORN AND GULL ROCK BELL
0530-SECHRED MAIN LIGHT
0800-MORNING COLORS TURN TO STATION WORK
0900-turned aver all station gen.
1200-SECURED FOR CHOW
1230-TURN TO STATION WORK
1300-WHITE EN-2RETURNED FROM LIBERTY SUTTON SN. DEPARTED ON LIBERTY
1600-SECURED FROM STATION WORK, CHECKED ALL VIS. A/N
1930-EVENING COLORS TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THUR. 18 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3030		52	C					
0400	N	2	3032		52	B/C	c/i	7	7		
0800	N	2	3034		53	B/C	c/i	7	8		
1200	N	3	3033		54	B/C	ci	7	8		
1600	E	2	3024		55	B/C	ci	5	8		
2000	NE	3	3024		52	B/C	ci	C	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1645	22	4300
EXPENDED	15	–	300
REMAINING	1630	22	4000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ___ TIME STOP ___

RADIOBEACON TEST

TIME START ___ TIME STOP ___

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
1200-SECURED FOR CHOW
1300-TURNED TO STATION WORK
1330-CIVILIAN CONTRACTOR ARRIVED THIS UNIT
1600-SECURED STATION WORK, CHECKED ALL VIS. A/N
1645-CIVILIAN CONTRACTOR DEPARTED THIS UNIT
1930-EVENING COLORS TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L. G. White EN-2

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRI. 19 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	3020	50		BC	NS	6	8		
0400	NE	3	3014	48		BC	NS	6	7		
0800	NE	3	3010	47		BC	NS	6	7		
1200	N	3	3008	50		BC	NS	8	7		
1600	N	3	3008	48		BC	NS	8	7		
2000	N	4	2999	46		BC	NS	8	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1630	22	4000
EXPENDED	15	-	300
REMAINING	1615	22	3700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MRONING COLORS TURN TO STATION WORK
0930-CIVILIAN CONTRACTOR ARRIVED
1200-SECURED FOR CHOW
1300-TURN TO STATION WORK
1600-SECURED FROM STATION WORK, CHECKED ALL VIS. A/N
1615-CIVILIAN CONTRACTOR DEPARTED
1930-EVENING COLORS, TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SAT. 20, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2996		46	BC	NS	8	7		
0400	NW	2	2994		48	BC	NS	8	7		
0800	NW	1	2980		51	BC	NS	8	7		
1200	W	2	2986		51	BC	NS	8	7		
1600	W	2	2978		51	BC	NS	8	7		
2000	E	2	2978		50	BC	NS	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1615	22	3700
EXPENDED	15	–	300
REMAINING	1600	22	3400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N

0400-CHECKED ALL VIS. A/N

0530-SECURED MAIN LIGHT

0800-MORNING COLORS, TURNED TO STATION WORK

1200-SECURED FOR CHOW

1230-ROY BM-1 DEPARTED ON LIBRTY

1300-SUTTON SN RETURNED FROM LIBERTY TURNED TO STATION WORK

1315-WHITE EN-2DEPARTED FOR NEWPORT TO PICK UP OUTBOARB MOTOR

1600-WHITE EN-2 RETURNED FROM NEWPORT CHECKED ALL VIS. A/N

1930-EVENING COLORS, TURNED ON MAIN LIGHT

2000-CHECKED ALL VIS. A/N

L. H. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUN. 21, MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	2980		52	BC	NS	4	8		
0400	SW	2	2982		58	BC	NS	2	8		
0800	SW	2	2984		cc	B			8		
1200	SW	4	2982		55	0	cu	9	8		
1600	SW	3	2982		54	0	cu	9	8		
2000	SW	2	2282		54	0	cu	9	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1600	22	3400
EXPENDED	15	-	300
REMAINING	1585	22	3100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS A/N.

0400-CHECKED ALL VIS. A/N

0530-SECURED MAIN LIGHT

0800-MORNING COLORS, TURNED TO STATION WORK

0830-TESTED STATION MACHINERY

1200-SECURED FOR CHOW

1300-TURNED TO STATION WORK

1600-SECURED STATION WORK, CHECKED ALL VIS. A/N

1930-EVENING COLORS, TURNED ON MAIN LIGHT

2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent B. Raf BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MON, 22, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2980		54	Z			6		
0400	SW	2	2978		54	Z			6		
0800	SW	2	2978		54	F			4		
1200	SW	2	2974		51	•	NS	10	7		
1600	SW	2	2972		53	0	NS	10	7		
2000	SW	2	2970		55	BC	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1585	22	0000
EXPENDED	2	-	
REMAINING	1583	22	0000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished CONT Time Lighted CONT

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0740	0840	1		
1030	1200	1	30	
TOTAL FOR DAY		2	1/2	
TOTAL FOR MONTH		172		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0740-STARTEDFOG HORN MAIN LIGHT AND GULL ROCKS BELL
0800-MORNING COLORS, TURN TO STATION WORK
0840-SECURED FOG HORN MAIN LIGHT AND GULL ROCK BELL
1030-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1200-SECURED FOG HORN MAIN LIGHT AND GULL ROCK BELL, CHOW
1300-TURN TO STATION WORK
1600-SECURED STATIONWORK CHECKED ALL VIS. A/N
1930-EVENING COLORS, TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

R. Sutton BM

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUE. 23, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2969		54	BC	NS	2	8		
0400	SW	1	2971		54	B			8		
0800	SW	1	2973		60	B			8		
1200	SW	2	2971		64	BC	NS	3	8		
1600	SW	3	2970		60	BC	NS	9	8		
2000	SW	2	2976		57	BC	NS	9	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1583	22	
EXPENDED	4	-	
REMAINING	1579	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORSTURNED TO STATION WORK
0810-STARTED STATION MACHINERY
0835-ROY BM-1 DEPARTED FOR CASTLE HILLIN STATION BOAT
0930-SECURED STATION MACHINERY
1130-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1530-ROY BM-1 RETURNED FROM STATION WORK
1545-SUTTON SN. DEPARTED FOR CASTLE HILL
1630-SECURED FROM STATION WORK
1830-SUTTON SN RETURNED TO STATION
1930-EVENING COLORS TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS, A/N

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ~~ROSE ISLAND LIGHT STATION~~

DATE WED. 24, May 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000			2976		66				8		
0400			2976		66		AS	7	8		
0800			2976		66		AS	7	8		
1200	SW	3	2976		65		AS	7	8		
1600	SW	3	2976		65		AS	7	8		
2000	SW	3	2978		65	BC	AS	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1579	22	
EXPENDED	5	-	
REMAINING	1574	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-checked all vis. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS,TURNED TO STATION WORK
0805-STARTED STATION MACHINERY
0905-SECURED STATION MACHINERY
0930-C.G. 64903 ARRIVED TO FLUSH OUT WATER TANK
1130-C. G. 64903 DEPARTED THIS UNIT
1135-SECURED FOR CHOW
1230-TURNTO STATION WORK
1600-SECURED STATION WORK, CHECKED ALL VIS A/N
1930-EVENING COLORS, STARTED MAIN LIGHT
2000-CHECKED ALL VIS A/N

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THU. 25 MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2979		64	BC	AS	5	8		
0400	SW	1	2981		67	BC	AS	3	8		
0800	S	1	2983		70	BC	AS	2	8		
1200	SW	5	2982		71	BC	AS	2	8		
1600	SW	6	2980		62	BC	AS	4	8		
2000	SW	4	2980		60	BC	AS	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1574	22	
EXPENDED	2	—	
REMAINING	1572	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
0830-ROY V. BM-1 DEPARTED FOR CASTLE HILL
0915-WHITE L. RETURNED FROM LIBERTY, SUTTON SN. DEPARTED ON LIBERTY
0930-STARTED STATION MACHINERY
1030-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1600-SECURED STATION WORK
1930-EVENING COLORS, TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L G White Em-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRI. 26, MAY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	7	2976		60	BC	AS	4	7		
0400	S	7	2972		60	BC	AS	4	7		
0800	S	7	2970		62	BC	AS	4	7		
1200	S	7	2970		58	R/F			6		
1600	S	7	2968		56	R/F			4		
2000	S	3	2970		54	R/F			4		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1572	22	
EXPENDED	0	—	
REMAINING	1572	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1200

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1100	1130		30	15
1200	2400	12		15
TOTAL FOR DAY		12	30	
TOTAL FOR MONTH		189	40	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
1100-STARTED MAIN LIGHT FOG HORN AND GULL ROCK BELL
1130-SECURED MAIN LIGHT FOG HORN AND GULL ROCK BELL
1200-SECURED FOR CHOW, STARTED MAIN LIGHT FOG HORN AND GULL ROCK BELL
1300-TURN TO STATION WORK
1600-SECURED FROM STATION WORK, CHECKED ALL VIS A/N
1930-EVENING COLORS
2000-CHECKED VIS. A/N

L. G. White En2

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SAT. 27, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	2965	54	0	NS	10		4		
0400	N	3	2960	55	0	NS	10		4		
0800	N	3	2954	56	0	NS	10		7		
1200	NW	2	2949	57	0	NS	10		7		
1600	NW	3	2944	58	0	NS	10		7		
2000	NW	3	2942	54	0	NS	10		7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1572	22	
EXPENDED	5	—	
REMAINING	1567	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0530	5	½	
TOTAL FOR DAY		5	½	
TOTAL FOR MONTH		195		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS, A/N
0400-CHECKED ALL VIS A/N
0530-SECURED MAIN LIGHT FOG HORN AND GULL ROCK BELL
0800-MORNING COLORS, TURN TO STATION WORK
0830 STARTED STATION MACHINERY
0900-HELD WEEKLY INSPECTION OF STATION
0930-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1600-SECURED STATION WORK, CHECKED ALL VIS A/N
1930-EVENING COLORS, TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUN. 28, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	2949		52	B			8		
0400	SW	2	2958		53	B			8		
0800	SW	3	2982		54	B			8		
1200	SW	4	2986		68	B			8		
1600	SW	4	2990		68	B			8		
2000	SW	3	2994		56	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1567	22	
EXPENDED	4	-	
REMAINING	1563	22	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
0930-SUTTON SN. RETURNED FROM LIBERTY, ROY BMO1 DEPARTED ON LIBERTY
1200-SECURED FOR CHOW
1300-TURNED TO STATION WORK
1600-SECURED WORK, CHECKED ALL VIS. A/N
1930-EVENING COLORS, TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT ATATION

DATE MON. 29, MAY1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	2994		54	B/C	Ci	5	8		
0400	SW	4	2995		56	B/C	Ci	5	8		
0800	SW	4	2996		62	B/C	Ci	5	8		
1200	SW	4	2996		61	B/C	Ci	5	8		
1600	SW	4	2988		55	B/C	Ci	9	8		
2000	SW	4	2990		52	B/C	Ci	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1563	22	
EXPENDED	2	–	
REMAINING	1561	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
0810-STARTED STATION MACHINERY FOR TEST
0910-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURN TO STATION WORK
1600-SECURED STATION WORK, CHECKED ALL VIS. A/N
1930-TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUE. 30, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	2992		54	B/C	Cl	6	8		
0400	NW	1	2994		56	B/C	Cl	6	8		
0800	NW	1	2998		60	B/C	Cl	5	8		
1200	SE	2	2994		53	B/C	cc	3	8		
1600	SE	2	2998		54	B/C	cc	4	8		
2000	SE	2	2998		54	B/C	cc	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1561	22	—
EXPENDED	4	—	—
REMAINING	1557	22	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
0810-STARTED STATION MACHINERY
0910-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1300-TURNED TO STATION WORK
1600SECURED STATION WORK, CHECKED ALL VIS, A/N
1930-TURNED ON MAIN LIGHT
2000-CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WED. 31, MAY 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SE	2	3014		50	B/C	CC	4	8		
0400	SE	2	3024		51	B/C	CU	3	8		
0800	SW	2	3074		63	B/C	CU	3	8		
1200	SW	3	2996		61	B/C	CU	3	8		
1600	SW	3	2988		59	B/C	CU	3	8		
2000	SW	3	2984		56	B/C	CU	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1557	22	
EXPENDED	0	—	
REMAINING	1557	22	

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0530-secured main light
0800-MORNING COLORS, TURNED TO STATION WORK
0810-STARTED STATION MACHINERY
0910-SECURED STATION MACHINERY
0920-SUTTON SN. DEPARTED ON LEAVE 10-DAYS,ROY,VINCENT RETURNED FROM LIBERTY
1200-SECUREDFOR CHOW
1300-TURNED TO STATION WORK
1515-ROY,VINCENT RETURNED THIS UNIT WITH STATION BOAT C.G.16585
1600-CHECKED ALL VIS. A/N
2000-EVENING COLORS, TURNED ON MAIN LIGHT, CHECKED ALL VIS. A/N

L. G. White En-2

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)